


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

bottleneck and messages and blocked

Search Patents

[Advanced Patent Search](#)  
[Google Patent Search](#)

The **"AND"** operator is unnecessary -- we include all search terms by default. [\[details\]](#)

## Patents

Patents 1 - 10 on **bottleneck and messages and blocked**. (0.03 seconds)

### SYSTEM AND METHOD FOR PROVIDING DYNAMIC SCREENING OF TRANSIENT MESSAGES IN A DISTRIBUTED COMPUTING ENVIRONMENT

US Pat. 7117533 - Filed Dec 10, 2001 - McAfee

Consequently, the antivirus system 21 will would be **blocked** from the message queue 35 and would hinder packet throughput and create a **bottleneck** into the ...

### Paging system using message fragmentation to redistribute traffic

US Pat. 5311516 - Filed Nov 23, 1992 - Motorola, Inc.

However, when **messages** get very long the com- ... This FIG- 12 is an electrical block diagram of a 4-level to **bottleneck** can add significant time delay to ...

### Distributed call admission and load balancing method and apparatus for packet networks

US Pat. 6778496 - Filed Jun 7, 2000 - Lucent Technologies Inc.

The method as set forth in claim 4 wherein each **bottleneck** link is expressed as a percentage utilization for a most utilized link in the corresponding ...

### System and method for performing efficient computer virus scanning of transient messages using checksums in a distributed computing environment

US Pat. 6993660 - Filed Dec 10, 2001 - McAfee, Inc.

Upon receiving subsequent incoming screened **messages** 38, if the checksums match, the screened message is pro-actively **blocked** and discarded, ...

### Adaptive processor scheduler and method for reservation protocol message processing

US Pat. 6353616 - Filed Dec 28, 1998 - Lucent Technologies Inc.

7 RESV **messages**, WUD for UPDATE **messages**, and WTD for wUD= $l(\% \text{ of } u \text{ for } ...$  could be used if the processor were not a **bottleneck**) established packet flows. ...

### Directly programmable distribution element

US Pat. 5634004 - Filed May 16, 1994 - Network Programs, Inc.

The element effectively reduces the number of **messages** by data can be written ... The **bottleneck** at the periphery occurs every node issues one snap ...

### Congestion control system for telecommunications

US Pat. 5295183 - Filed Nov 21, 1991 - Northern Telecom Limited

The frequently than otherwise), upon the speed of transmis- **blocked** calls would consume ... These **bottleneck** resources include switch, it is the optimal CPU ...

### Dynamic routing system for a multinode communications network

US Pat. 5218676 - Filed Jan 8, 1990 - The University of Rochester

The **messages** are emitted by the provide an improved dynamic (collision ... among the nodes without being **blocked** at any node rerouting **messages** based upon ...

### Method and apparatus for measuring internet router traffic

US Pat. 6970429 - Filed Jun 1, 2001 - Teradyne, Inc.


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

block and idle time

Search Patents

[Advanced Patent Search](#)  
[Google Patent Search](#)

The **"AND"** operator is unnecessary -- we include all search terms by default. [\[details\]](#)

## Patents

Patents 21 - 30 on **block and idle time**. (0.40 seconds)

### Graphics system and method for minimizing the **idle time** of a host processor in the graphics system

US Pat. 6515670 - Filed Dec 10, 1999 - Silicon Integrated Systems Corp.

The method for reducing the **idle time** of a host processor in a graphics system according ... 1 is a simplified **block** diagram of a prior art graphics system. ...

### Mobile radio device having adaptive position transmitting capabilities

US Pat. 6539231 - Filed Mar 9, 2000 - ITT Manufacturing Enterprises, Inc.

If the two minute Net Load Update timer 26 has expired the Net Loading **Idle Time** is determined in **block** 40. Accordingly, the APTA checks **Idle Time** every two ...

### Method and apparatus for utility-directed prefetching of web pages into local cache using continual computation and user models

US Pat. 6085226 - Filed Jan 15, 1998 - Microsoft Corporation

Once this task is selected, the operating system then executes this task, as symbolized by **block** 130, throughout the remainder of this **idle-time** interval. ...

### Technique for prefetching a web page of potential future interest in lieu of continuing a current information download

US Pat. 6067565 - Filed Jan 15, 1998 - Microsoft Corporation

Once this task is selected, the operating system then executes this task, as symbolized by **block** 130, throughout the remainder of this **idle-time** interval. ...

### Adaptive modem connection lifetimes

US Pat. 6487596 - Filed Jun 5, 1999 - AT&T Corp.

**Block** 72 determines whether modem-i is active. If it is, control passes to **block** 77 which resets the **idle time** counter field in the retrieved record, ...

### FOUR-WIRE CONCENTRATOR WITHOUT SEPERATE CONTROL. PATH

US Pat. 3492435 - Filed Jul 13, 1966

6 each **block** represents the call progress state present in a particular **time** ...  
 Upon seizure by concentrator 101, marker 335 begins compar-ing **idle time** ...

### Periodic scheduler for dual-arm robots in cluster tools with process-module residency constraints

US Pat. 6418350 - Filed Jun 9, 2000 - Brooks Automation Inc.

The amount of the **time** interval that the **block** will be moved 25 during a slide action will now be **idle time**. During this **idle time** 82, the object 30 must be ...

### Electrical control system for vehicle options

US Pat. 5614885 - Filed Aug 14, 1990 - Prince Corporation

If the **"idle flag"** is not set, as 65 determined in **block** 365, the **idle time** is incremented in **block** 366. The program next determines whether the **idle** 20 ...


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)


[Advanced Patent Search](#)  
[Google Patent Search](#)

The **"AND"** operator is unnecessary -- we include all search terms by default. [\[details\]](#)

## Patents

Patents 1 - 8 on **block and idle time and "performance metrics"**. (0.59 seconds)

### Unified channel access for supporting quality of service (QoS) in a local area network

US Pat. 7058074 - Filed Sep 28, 2001 - Texas Instruments Incorporated

If, in **block** 550, the contending station was not permitted to transmit, then it checks to see if the **time** slot was **idle** (580). If the **time** slot was **idle**, ...

### Adjustment of call selection to achieve target values for interval-based **performance metrics** in a call center

US Pat. 6366666 - Filed Dec 16, 1998 - Avaya Technology Corp.

The designated **performance metrics** are generally "met" or "not met" based on some aggregate performance over a defined **time** interval, such as a half-hour or ...

### Dynamically improving data storage device **performance**

US Pat. 6954326 - Filed Sep 26, 2002 - Seagate Technology LLC

Set- The **performance metrics** module 306 receives the mea- tmgs ... 3 is a functional **block** diagram of the adaptation 55 drive. ... =**time**(msec) (3) ...

### Method and system for a remote downlink transmitter for increasing the capacity and downlink capability of a multiple access interference limited spread-spectrum wireless network

US Pat. 7061891 - Filed Sep 17, 2001 - Science Applications International Corporation

9 shows a **block** diagram of the RDT system 740, in 20 accordance with one ...

processor **idle time**, the average and peak data rate coming into the RDT system ...

### Adaptive software management

US Pat. 7079904 - Filed Sep 12, 2003 - ITT Manufacturing Enterprises, Inc.

1A, namely, anticipated use conditions, qos **performance metrics**, and design con- 25

... Table 2 below shows two control factors: the **IDLE** mode instruction, ...

### System for monitoring and reporting **performance** of hosts and applications and selectively configuring applications in a resource managed system

US Pat. 7051098 - Filed May 24, 2001 - United States of America as represented by the Secretary of the Navy

1A, 1B collectively represent a high-level **block** computers look very deeply ...

2A, 2B collectively represent a functional **block** signals, a great amount of ...

### System and method for common account based routing of contact records

US Pat. 7054434 - Filed Jun 6, 2003 - Austin Logistics Incorporated

2 illustrates a **block** diagram of system employ- collect delinquent gas bills.

... for collection of dialing devices are **idle** while dialing devices 108 are ...

### System for determining individual cell/pocket loss in ATM/IP networks among on-off sources

US Pat. 6621797 - Filed Mar 18, 1999 - Lucent Technologies Inc.

... can project the 40 **performance metrics** for each individual connection based on

... on-off traffic with a given peak rate, mean active, and **idle** periods. ...